- <u>c</u>) a visor member having a parabolic notch along one edge corresponding at least in part to a portion of said irregular opening, pivotally attached to said hemispherical member; and
- <u>d</u>) a means for securing said visor in position relative to said hemispherical member.
- 2. (Original) The protective animal collar according to claim 1 wherein said visor member at least partially covers said irregular opening in said hemispherical member.
- 3. (Original) The protective animal collar according to claim 1 wherein said parabolic notch is disposed adjacent said polar region defining a parabolic opening between said visor member and said hemispherical member.
- 4. (Original) The protective animal collar according to claim 3 wherein said means for securing are hook and latch members strategically located adjacent said parabolic opening.
- 5. (Original) The protective animal collar according to claim 1 further comprises protective edge moldings.
- **6**. (Original) The protective animal collar according to claim **1** further comprises a cylindrical ring member having a major diameter equivalent to that of said hemispherical member removably attached to said hemispherical member at said equatorial region.

- 7. (_Deleted_) The protective animal collar according to claim 1 further comprises a conical ring member having a minor diameter equivalent to that of said hemispherical member removably attached to said hemispherical member at said equatorial region.
- **8**. (Original) The protective animal collar according to claim **6** wherein said visor member is pivotally retained by said cylindrical ring member.
- **9**. (Original) The protective animal collar according to claim **7** wherein said visor member is pivotally retained by said conical ring member.
- **10**. (Amended) A protective animal collar assembly comprising:

A <u>single</u> hollow hemispherical member having a polar region and equatorial region defined by the major diameter, and an irregular shaped aperture, a portion of which is parabolic extending from said polar region to near proximity with said equatorial region, a visor having a parabolic notch centrally located along one edge pivotally attached to said hemispherical member at said major diameter said notch corresponding to the parabolic portion of said hemispherical member defining a parabolic opening there between, and a means for variably fixing said visor relative to said hemispherical member, said hemispherical member having <u>a conical ring</u> member removably attached to said hemispherical member at said equatorial region means for attaching cylindrical and conical extension members.

- 11. (Original) The protective animal collar assembly according to claim 10 further including a cylindrical extension ring adaptively connected to said hemispherical member at said major diameter.
- 12. (Deleted) The protective animal collar assembly according to claim 10 further including a conical extension ring adaptively connected to said hemispherical member at said major diameter.
- 13. (<u>amended</u>) A method for <u>preventing self inflected wounds and the contamination of wounds resulting from licking and biting by attaching a protective, hemispheric, shell around the neck of an animal comprising the <u>step-steps of</u>;</u>
 - a) providing a single hollow, hemispherical member having equatorial and polar regions and an irregular opening therein extending from said polar region to near proximity with said equatorial region, a conical ring member having a minor diameter equivalent to that of said hemispherical member removably attached to said hemispherical member at said equatorial region, a visor member having a parabolic notch along one edge corresponding at least in part to a portion of said irregular opening, pivotally attached to said hemispherical member and a means for securing said visor in position relative to said hemispherical member.
 - b) pivotally opening said a visor-like member pivotally of relative to said shell, thereby forming a parabolic opening through which an animal's head is inserted and
 - c) and pivotally closing said visor, thus closing said parabolic opening around

the animal's neck and securing said visor relative to said shell.

- **14**. (Original) The method according to claim **13** wherein said method further includes the step of extending said shell by attaching a cylindrical ring member.
- 15. (Deleted) The method according to claim 13 wherein said method further includes the step of extending said shell by attaching a conical ring member.
- **16**. (Amended) The method according to claim **13**_**14** wherein said method further includes the step of removing said <u>conical cylindrical</u> ring member prior to attaching said <u>conical cylindrical</u> ring member.
- **17.** (Original) The protective animal collar according to claim **6** wherein said cylindrical member further comprises a beaded rim along the leading edge.
- **18.** (Original) The protective animal collar according to claim **17** wherein said animal collar comprises said cylindrical member and a conical ring member having a minor diameter portion equivalent to said cylindrical member and further comprising a channel portion for making a snap connection with said beaded rim.
- **19.** (Original) The protective animal collar according to claim **18** wherein said conical ring member is slotted so as to allow passage of a portion of said visor member.